

## MODEL: R4K28AC — DUAL BED STATION



R4K28AC

### FEATURES

- Functions as a dual bed station with code blue, staff registration, aide call, and cancel buttons
- DIN receptacle for patient nurse call
- Plug-in connectors for easy service
- Monitor, Staff Registration and Call-Assurance LEDs
- Tactile feedback on the color-coded buttons
- Continuous supervision for station presence
- Phosphor-Bronze Grounding Bracket provides ESD protection
- Designed for compliance to UL60601-1

### SPECIFICATIONS

**Power Required:** 15.5V DC @ 18mA

**Terminations:** Plug-in connectors

**Weight:** 0.35 lb. (0.16 kg)

**Backbox Options:** Raco 697; Steel City GW-335C, Steel City H3BD-3/4 with 3GC plaster ring, or UL / CSA recognized equivalent

**Size: W:** 6.38" (16.2 cm)

**H:** 4.50" (11.4 cm)

**D:** 1.07" (2.7 cm)

**Housing & Finish:** High-impact ABS94VO; light gray faceplate

**Controls:**

- Two (2) DIN receptacle
- One (1) Code Blue button
- One (1) Cancel button
- One (1) Staff Registration button
- One (1) Aide button
- Three (3) Call-Assurance indicators
- One (1) Monitor LED
- One (1) Staff Registration LED

### DESCRIPTION

The R4K28AC is a dual bed station that permits both patients and staff to place different call-in priorities, depending on their requirements, to the assigned console(s). The station also allows for placing code blue calls, aide calls, and staff registration to the assigned console(s). These call priorities may be customized for additional flexibility. The bed station can interface with a call cord and allow intercom to the console via the station speaker.

The bed station is connected to its' associated corridor light or domeless room controller and is continually supervised for station presence. Through programming, a "Trouble" message call can annunciate at the associated console(s) or a wireless device when the station is removed from the system.

### ASSOCIATED EQUIPMENT

**CLA222, CLA244** – Audio Corridor Lights

**DCA200, DCA216** – Audio Domeless Room Controllers

**CCDIN** – Call Cord

*Architects and Engineers Specifications available on disk. Specifications subject to change without notice.*

### Rauland-Borg Corporation

3450 West Oakton Street • Skokie, IL 60076-2958 • (847) 679-0900 • (847) 679-4106 Fax • [www.rauland.com](http://www.rauland.com)  
In Canada: 4025 Sladeview Crescent, Units 4-6 • Mississauga, ON CANADA L5L 5Y1 • (905) 607-2335 • (905) 607-3554 Fax

