






STAFF TERMINAL
(351300)

SIDE VIEW
STAFF TERMINAL
FULLY ASSEMBLE
SHOWN WITH WALL MOUNTING PLATE SPECIAL




IMPORTANT:
WHEN INSTALLING BASE PLATE TO BACK BOX
DO NOT OVER TORK SCREW TO PREVENT DEFORMATION OF PART.

DRG. NO.		KZ0665-2	O
REV.	CHANGE	APPD	






WALL MOUNTING PLATE STANDARD
P/N: AB4487




NOTE:
USED ONLY FOR INSTALLATION
WHEN BACK BOX IS NOT REQUIRE

TITLE R5- INSTALLATION (Staff Terminal)		FINISH	
RAULAND-BORG CORP. ENGINEERS SKOKIE, ILLINOIS, U.S.A.	USED ON	RoHS	SCALE: 1:1
	R5	All materials and processes used in the fabrication of the parts described on this drawing are to be RoHS Compliant.	DRN. LJP DATE 1/9/08
	ALL DIMS ARE $\frac{\text{mm}}{\text{inches}}$ TOLERANCE: ANGLES $x^\circ = \pm 1^\circ$		CH'D. APPD. DRG. NO. KZ0665-2 O





DRG. NO.	KZ0665-2	O
REV.	CHANGE	APP'D
-	See Sheet1	.



ISOMETRIC VIEW 1
SCALE 1:4





ISOMETRIC VIEW 2
SCALE 1:4







TITLE R5- INSTALLATION - 351200 (CONSOLE)			FINISH		
RAULAND-BORG CORP. ENGINEERS SKOKIE, ILLINOIS, U.S.A.	USED ON	RoHS	SCALE: 1:1		MAT'L.
	R5	All materials and processes used in the fabrication of the parts described on this drawing are to be RoHS Compliant.	DRN. LJP	DATE 1/9/08	
	ALL DIMS ARE $\frac{\text{mm}}{\text{inches}}$ UNLESS SPECIFIED.		CH'D.	APP'D.	DRG. NO. KZ0665-2
	TOLERANCE: ANGLES $x^{\circ} = \pm 1^{\circ}$				
		DIMS. $\frac{\text{mm}}{\text{.xx}}$ $\pm .40$ $\pm .015$			O
		$\frac{\text{mm}}{\text{.xxx}}$ $\pm .13$ $\pm .005$			

DRG. NO.		KZ0665-2	O
REV.	CHANGE		APP'D
-	See Sheet1		·





ISOMETRIC VIEW
SCALE 1:5




EXPLODED VIEW
SCALE 1:4


TITLE R5- INSTALLATION - 351200 (CONSOLE WITH 60 ° BASE) FINISH								
RAULAND-BORG CORP. ENGINEERS SKOKIE, ILLINOIS, U.S.A.	USED ON		RoHS		SCALE: 1:1		MAT'L.	
	R5		All materials and processes used in the fabrication of the parts described on this drawing are to be RoHS Compliant.		DR'N.	DATE		
					LJP	1/9/08		
	ALL DIMS ARE $\frac{\text{mm}}{\text{inches}}$ TOLERANCE: ANGLES X° = ±1°		UNLESS SPECIFIED.		CH'D.	APP'D.	DRG. NO.	
DIMS. $\frac{\text{mm}}{.xx} = \pm .40, \pm .015$ $\frac{\text{mm}}{.xxx} = \pm .13, \pm .005$					KZ0665-2 O			




DETAIL F
SCALE 1.5 : 1
ALL DIMS
TYP. 2 PLCS.



ISOMETRIC VIEW 1
SCALE 1:16









ISOMETRIC VIEW 2
SCALE 1:16



ISOMETRIC VIEW 3
SCALE 1:16

DRG. NO.		KZ0665-2	O
REV.	CHANGE		APPD
-	See Sheet1		



DETAIL H
SCALE 1 : 2
ALL DIMS
TYP. FOR ALL
CONDUIT KNOCKOUTS

TITLE R5- INSTALLATION - 351102 (28x14 EQUIPMENT CABINET) FINISH

RAULAND-BORG CORP.
ENGINEERS
SKOKIE, ILLINOIS, U.S.A.

USED ON		RoHS		SCALE: 1:1		MAT'L
R5		All materials and processes used in the fabrication of the parts described on this drawing are to be RoHS Compliant.		DRN.	DATE	
				LJP	1/9/08	
				CHD.	APPD.	DRG. NO.
						KZ0665-2
						O