



as human, for human
PARAMOUNT BED

Manual Bed CM Series



High quality, standard manual bed

**Torque Release
Handle**

Double-Coating

**Luxury Wooden
Color Design**

CM Series Manual Bed



Features

Torque Release Handle



Paramount's own Torque Release Handle protects a crank shaft from damage by over-winding. Once the handle catches over-winding force, the crank shaft is disengaged from the torque force. This automatic clutch system ensures a long lifetime.



Back raise

0 - 75°



Hi-lo adjustment

380 - 730mm

*3 Crank Bed only




Knee raise

0 - 45°

Auto clutch system image

■ Conventional Handle
■ Torque Release Handle



Features

Double coating

With a view toward manufacturing products that would stand the test of time, we at Paramount Bed were quick to introduce large scale coating equipment for the purpose of double-coating our beds with electro deposition and powder coating.

This led to striking improvements in the durability and beauty of the finish. This means that the high quality can be tangibly appreciated the longer the products are used. In even the most demanding usage environments, the products are impervious to rust and the condition of the coating continues to look new even after repeated cleaning.

Electro deposition coating



Powder coating




Mattress base



Strength and durability are ensured by persistent and established manufacturing method of metal forming and perforating press process.

Diagonal locking system



Two casters with brake located diagonally, and the casters are firmly locked by stepping the lock pedals.

Detachable Head/Foot board with auto-locking system



When the head and foot boards are assembled to the bed, an auto-locking mechanism operates to prevent them from being easily detached. Accordingly, the bed can be moved around with peace-of-mind, without having to worry about whether or not the board locks have been applied.

Accessories


CA-S5FA Assist bar




The arm of assist bar can be adjusted 0-150 degrees in increments of 30 degrees. This assists the patient in turning over in bed and in standing up.

1,109(L) x 503(H)mm

Patient Movement Support



CE-016E / 017E Urethane foam mattress



Cover: Vinyl leather
Water proof, anti-bacterial, fire retardant
Core: Urethane foam Dimensions (mm):
CE-016 830(W) x 1,910(L) x 125(TH)
CE-017 910(W) x 1,910(L) x 125(TH)

EC-56 I.V. hanger rod



Height adjustment: 1,070 - 1,760mm
Stainless steel pipe
4 foldable hangers
Pneumatic down system

CF-070 Bed side table



Overall length: 900mm
Overall width: 430mm
Table top size: 400(W) x 900(L)
Height adjustment: 770 - 1,050mm
Caster: 55mm double wheel caster
Color: Medium oak
Free upward movement system

EF-570M Bed side cabinet



Overall dimensions:
449(W) x 463(D) x 782(H)mm
Pull-out table, Towel rails,
Detachable drawers, Inner shelf,
Raised edge
Caster: 40mm double wheel caster
Color: Medium oak

EA-A521 Oxygen cylinder holder




For 1,000L Oxygen cylinder
Steel with double coating

Manual Bed CM Series

Specifications

3 Crank Type



2 Crank Type



Features at a glance

- Back raise
- Knee raise
- Height adjustment (3 Crank type only)
- Leg angle adjustment
- Torque release handle
- 125mm single wheel caster
- Diagonal locking system
- Double coated steel
- 4 columns folding side rails
- Accessory rails
- Under storage space
- Angle indicator
- Auto locking Head/Foot board
- Luxury medium oak laminated board

Accessories

- Assist bar
- 6 columns folding bed side rail
- IV Pole with pneumatic down system
- 125mm urethane foam mattress fire resistant, water proof and anti-bacterial
- Oxygen cylinder holder
- Bed side table
- Bed side cabinet

Model No.	CM-39A	CM-29C	CM-38A	CM-28C
Type	3 Crank	2 Crank	3 Crank	2 Crank
Back raise	75°			
Knee raise	45°			
Height up to mattress base	380 - 730mm	500mm	380 - 730mm	500mm
Casters	125mm dia. single wheel caster			
Caster locking style	Diagonal locking system			
Main frame	Steel with double coating			
Head and foot boards	Blow-moulded PE resin			
Overall Length	2,195mm			
Overall Width	1,016mm		936mm	
Mattress Base Length	1,950mm			
Mattress Base Width	900mm		830mm	

*Specifications and designs are subject to change without notice.

Local distributor



PARAMOUNT BED

PARAMOUNT BED CO., LTD.

Head office 14-5 2-Chome Higashisuna Koto-Ku Tokyo
136-8670 JAPAN

Tel: +81-3-3648-2961 Fax: +81-3-3648-2420

<http://www.paramount.co.jp/english/>